



Elite with Quicklink Adjustable LCD Ceiling Mount























75x75mm 100x100mm





Elite with Quicklink Adjustable LCD **Ceiling Mount**

The Elite series of ceiling mounted hospital LCD TV/monitor mounting solutions incorporate revolutionary design features allowing monitor weights of upto 12.7kg to be supported whilst providing effortless movement.

Each model provides 530mm (21") of finger touch vertical movement via the gas assisted arm. Available with 127mm (5"), 300mm (12"), 600mm (24") or 910mm (36") pole drops. Each Elite ceiling mount has 360° screen swivel, 15° of upward tilt and 90° downward tilt. As a fully cable managed monitor mounting solution, the arm is ideal in hospital and dental environments.





T +44 (0)1252 333326 **F** +44 (0)1252 330006 E sales@ergomounts.co.uk

www.ergomounts.co.uk www.medicalmounts.co.uk



- Height and reach adjustable LCD/monitor ceiling mount.
- Monitor can move from landscape to portrait.
- Gas assisted user adjustment allows repositioning by patients and clinicians alike.
- Designed to meet modern healthcare infection control standards and to be cleaned with hospital grade / chlorine based bleach cleaning solutions (Max 10,000 parts per 1,000,000).
- Use within all clinical areas including operating theatres, recovery, dental, wards etc.
- Widely used for Patient Vu / personal patient TV applications.
- Universal VESA 75mm x 75mm and 100mm x 100mm interface supports LCD monitors / LCD TVs and LCD based patient clinical review equipment up to 12.7kg.
- Cables route neatly through the length of the arm and allow cables to route through the pole and exit through the ceiling plate.
- 127mm (5"), 300mm (12"), 600mm (24") and 910mm (36") drop poles versions available to suit different ceiling heights.
- Chrome finishing ring available for installations in false ceilings.
- Optional large handle increases the ease of repositioning the attached equipment.
- · Finished in light grey, medical white or black.





Specifications	

Arm Ext.:	508mm
Monitor Height Adjust:	530mm
Tilt Adjustment:	+25°/-90°
Monitor Swivel:	+/-180°
Monitor Orientation:	Landscape to Portrait
Colour:	Black, medical white or grey
Touch Screen Stable:	No
Keyboard and Mouse Tray:	No
Max Monitor Weight:	12.7kg
Product Warranty:	3 Years (1 year on cylinder)

T +44 (0)1252 333326 **F** +44 (0)1252 330006 **E** sales@ergomounts.co.uk






Configurations	
5	

	Part Number EMELQ5120-C8X36-Q0	Description Elite with Quicklink LCD ceiling mount. 910mm (36") pole drop. VESA 75mm x 75mm and 100mm x 100mm. Supports up to 12.7kg in weight. Light grey finish.
	EMELQ5120-C8X36-TE	 B Elite with Quicklink LCD ceiling mount. 910mm (36") pole drop. VESA 75mm x 75mm and 100mm x 100mm. Supports up to 12.7kg in weight. Black finish.
Contraction of the second seco	EMELQ5120-C8X36-MV	V Elite with Quicklink LCD ceiling mount. 910mm (36") pole drop. VESA 75mm x 75mm and 100mm x 100mm. Supports up to 12.7kg in weight. Medical white finish.
\bigcirc	EMB0500-0003-CH	Chrome finishing ring for Titan, T2 Elite and Elite Ceiling Mounts.
7	EMTHBV-QG	Paralink and Quicklink large grab handle. Grey finish.
L'à	EMTHBV-TB	Paralink and Quicklink large grab handle. Black finish.
	EMTHBV-MW	Paralink and Quicklink large grab handle. Medical white finish.



T +44 (0)1252 333326 F +44 (0)1252 330006 E sales@ergomounts.co.uk





EMELQ5120 LCD Ceiling Mount



Ceiling or braced UniStrut with wooden patress Recommended Chrome finishing ring P/N EMB0500-003-CH Suspended Ceiling Pole drops available: Distance = pole drop + 60mm (2.33") 127mm (5") non cable managed 300mm (12") cable managed 600mm (24") cable managed 910mm (36") cable managed Allow 80mm height for cable management hole 507mm (19.98") Θ 105mm o 295mm


The specifying guide above is designed to assist in determining the most appropriate length of pole drop. The EMELQ LCD ceiling mount is suitable for use within many medical based environments including OR theatres, EPRS, and ward based patient use and therefore it's not possible to provide a single recommended height due to the varying nature of each application.

Should you require assistance in specifying the correct pole drop for your specific application / environment then please contact:

01252 333326.

T +44 (0)1252 333326 F +44 (0)1252 330006 E sales@ergomounts.co.uk





ErgoMounts Limited

Unit 10 Pegasus Court North Lane Aldershot Hampshire GU12 4QP United Kingdom

T +44 (0)1252 333326 F +44 (0)1252 330006

www.ergomounts.co.uk

